

## ARDEN SUMMER 2024





### PICKLING CUCUMBER

#### SHORT, ROUND CUCUMBER WITH THIN Skin, cultivated for pickling Best cucumber for making pickles!

₹©E FULL SUN & LOOSE, WELL-DRAINED SOIL

WATCH FOR APHIDS (SPRAY WITH WATER), ARMYWORMS (NEEM OIL), AND CABBAGE LOOPERS (NEEM OIL)

 $\mathscr{P}$  harvest sprouts from the bottom of the stem first, when they are about 1 inch in diameter





#### HERB IN THE CELERY FAMILY, NATIVE TO EURASIA AND THE MEDITERRANEAN BEST FOR MAKING PICKLES & RANCH

WATCH FOR APHIDS (SPRAY WITH WATER), VARIOUS CATERPILLARS (REMOVE BY HAND), AND GRASSHOPPERS (DUST DILL WITH FLOUR)

HARVEST ONCE PLANT IS 6 INCHES & BEFORE THEY FLOWER. You can use the dried seeds & the fronds in pickling!





## GREEN BEANS

CULTIVATED IN SOUTH & CENTRAL AMERICA RICH IN VITAMIN C AND BETA-CAROTENE GREAT FRESH, CANNED, PICKLED, OR FROZEN!

 $\mathfrak{O}$  watch for aphids (spray with water), Mexican Bean Beetle (crush by hand), & Bean leaf beetle (neem oil)

*In P* 

HARVEST WHEN BEANS ARE 4 INCHES LONG & THE WIDTH OF A PENCIL (50 DAYS)



#### FRAGRANT HERB WITH CITRUSY FLAVOR POPULAR IN MEXICAN CUISINE BEST IN SALSAS, CHUTNEYS, AND CURRIES!

WATCH FOR APHIDS (SPRAY WITH WATER), ARMYWORMS (NEEM OIL), & CABBAGE LOOPER (REPELLED BY THYME)

HARVEST WHEN PLANT REACHES 6 INCHES TALL, PICK INDIVIDUAL LEAVES OR CUT ENTIRE STEM (50 DAYS)





HISPERING

#### POPULAR CULINARY HERB IN THE MINT FAMILY NATIVE TO TROPICAL ASIA BEST FOR PIZZA, PASTA, & SAUCES!

₹©E FULL SUN & MOIST WELL DRAINING SOIL

 $\mathfrak{T}$  watch for aphids (spray with water), flea beetles (Neem oil/ dish soap), & slugs (remove by hand)

HARVEST LEAVES REGULARLY (IN THE MORNING) ONCE PLANTS REACH 6-8 INCHES TALL (NEVER TAKE MORE THAN 1/3 OF THE PLANT) 28 DAYS



### ARUGULA

#### EDIBLE LEAF WITH A TART, PEPPERY FLAVOR High in Antioxidants great used raw in Salads!

₹©£ FULL SUN TO PARTIAL SHADE & MOIST SOIL

 $\mathfrak{T}$  watch for aphids (spray with water) & flea beetles (neem oil/ soap spray)

HARVEST BY CUTTING OUTSIDE LEAVES ALL THE WAY DOWN AT THE BASE OF PLANT (20 - 60 DAYS TO MATURITY)



## MARIGOLD

FLOWER NATIVE TO NORTH AMERICA INSECT REPELLING PLANT GREAT FOR ATTRACTING POLLINATORS!

D (REMOVE BY HAND)

HARVEST MARIGOLDS AND ALLOW THE TO DRY, SAVE THE SEEDS FOR NEXT YEAR! MARIGOLDS HAVE LOTS OF SEEDS (60 DAYS)



#### MICROGREENS

GREENS HARVESTED IN THE EARLY STAGES OF LIFE WHEN ALL NUTRIENTS ARE CONCENTRATED, GREAT RAW ON SANDWICHES & SALADS!

₹©£ FULL SUN & MOIST WELL DRAINING SOIL

🛱 WATCH FOR APHIDS (SPRAY WITH WATER), FLEA BEETLES (NEEM OIL/ DISH SOAP), & SLUGS (REMOVE BY HAND)

HARVEST AS SOON AS LEAVES APPEAR BY CUTTING JUST Above the soil line (14-21 days)









#### YUN YUN PEPPER MINIATURE SWEET PEPPER SWEET FLAVOR AND CRISPY TEXTURE PERFECT FOR SNACKING!

₹Õ¥ FULL SUN & WELL-DRAINING SOIL

WATCH FOR APHIDS (SPRAY WITH WATER), THRIPS (USE OVERHEAD IRRIGATION), & SPIDER MITES (SPRAY WITH WATER)

HARVEST WHEN PEPPERS ARE 5-7CM LONG (55 DAYS)



## JALAPEÑO PEPPER

MILD PEPPER FROM MEXICO 2,500 to 8,000 SHU on the Scoville Scale Best in Salsas, Pickled, or stuffed


₹©£FULL SUN & WELL-DRAINED, LOAMY SOIL

 $\mathfrak{F}$  Watch for aphids (spray heavily with water)

**J** 

HARVEST WHEN THE PEPPER IS DARK GREEN WITH LINES IN THE SKIN (THIS IS CALLED CORKING!) OR WHEN THE PEPPER TURNS RED (AND GETS SWEETER!) (ABOUT 80 DAYS)







### BLACK CHERRY TOMATO

SWEET, BITE-SIZED TOMATO VARIETY CAN BE ROUND OR OBLONG GREAT FOR EATING RIGHT OFF THE VINE!

₹Ŏŧ FULL SUN & MOIST SOIL

🛱 WATCH FOR APHIDS (SPRAY WITH WATER), FLEA BEETLES (NEEM OIL/SOAP SPRAY), & EARWORMS (INTRODUCE LADYBUGS)

 $\cancel{W}$  harvest when tomatoes are a deep red color (60 days)



## MARIGOLD

#### FLOWER NATIVE TO NORTH AMERICA INSECT REPELLING PLANT GREAT FOR ATTRACTING POLLINATORS!

₹ŎE FULL SUN & MOIST SOIL

🛱 WATCH FOR APHIDS (SPRAY WITH WATER), CATERPILLARS (REMOVE BY HAND)

HARVEST MARIGOLDS AND ALLOW THE TO DRY, SAVE THE SEEDS FOR NEXT YEAR! MARIGOLDS HAVE LOTS OF SEEDS (60 DAYS)

## JALAPEÑO PEPPER

MILD PEPPER FROM MEXICO 2,500 to 8,000 SHU on the Scoville Scale Best in Salsas, Pickled, or stuffed

₹©EFULL SUN & WELL-DRAINED, LOAMY SOIL

 $\mathfrak{F}$  Watch for aphids (spray heavily with water)

HARVEST WHEN THE PEPPER IS DARK GREEN WITH LINES IN THE SKIN (THIS IS CALLED CORKING!) OR WHEN THE PEPPER TURNS RED (AND GETS SWEETER!) (ABOUT 80 DAYS)

## ONION

YELLOW: MOST FLAVOR, BEST FOR COOKING RED: MILD, BEST FOR PICKLING WHITE: MILD, BEST RAW AS A TOPPING

₹Õ¥ FULL SUN & MOIST, WELL-DRAINED SOIL

 $\mathfrak{G}$  watch for onion thrips (use overhead irrigation) & onion flies (place sand at the base of the plant)

HARVEST ONCE BULBS ARE LARGE & GREEN TOPS BEGIN TO YELLOW AND FALL OVER (90-120 DAYS)







#### **ASTER** EASY-TO-GROW FLOWERING PLANT GREAT FOR ATTRACTING POLLINATORS!

₹©E FULL SUN & WARM, WELL-DRAINING SOIL

🛱 WATCH FOR APHIDS (SPRAY WITH WATER) &SPIDER MITES (USE NEEM OIL)

HARVEST FOR DECORATION WHEN OUTSIDE BUDS FINALLY BLOOM (110 DAYS)



### RED VEINED SORREL

#### EDIBLE ORNAMENTAL LEAF WITH A CITRUS-LIKE FLAVOR GREAT COOKED LIKE SPINACH!

The sun to partial shade & Moist soil

🛱 WATCH FOR APHIDS (SPRAY WITH WATER) & FLEA Beetles (NEEM OIL/ SOAP SPRAY)

HARVEST WHEN LEAVES ARE 4-6'' by cutting at the base of the leaf (60 days)

## SUNGOLD TOMATO

SWEET, BITE-SIZED TOMATO VARIETY Can be round or oblong Great for eating right off the vine!

₹©E FULL SUN & MOIST SOIL

🕀 WATCH FOR APHIDS (SPRAY WITH WATER), FLEA BEETLES (NEEM OIL/SOAP SPRAY), & EARWORMS (INTRODUCE LADYBUGS

 $\mathbb{A}$  HARVEST WHEN TOMATOES ARE A DEEP RED COLOR (60 DAYS)





## AMISH PASTE TOMATO

MEDIUM SIZED, OBLONG TOMATO VARIETY Great for canning & sauces!

#### ₹©£ FULL SUN & MOIST SOIL

🛱 WATCH FOR APHIDS (SPRAY WITH WATER), FLEA BEETLES (NEEM OIL/SOAP SPRAY), & EARWORMS (INTRODUCE LADYBUGS)

 $\mathbb{A}$  HARVEST WHEN SKIN LOOKS SMOOTH AND WAXY (60 DAYS)



#### **SERRAND PEPPER** CHILI PEPPER NATIVE TO MEXICO SPICIER THAN JALAPENO GREAT FOR HOT SAUCES!

₹Ŏŧ FULL SUN & WELL DRAINED SOIL

 $\,\,\,\,\,$  watch for Aphids (spray with water) & spider mites (spray with water)

HARVEST WHEN PEPPERS ARE DARK GREEN, TURNING RED (80 DAYS AFTER TRANSPLANTING)





#### HYACINT BEAN MULTIPURPOSE CROP NATIVE TO AFRICA BEST FOR ATTRACTING POLLINATORS, ADDING BEAUTY TO GARDEN, & USING FOR LIVESTOCK FORAGE!

|--|

- RUBBING ALCOHOL)
- HARVEST SEEDS JUST BEFORE FIRST FROST TO REPLANT THE FOLLOWING YEAR! (DO NOT CONSUME SEEDS/SEED PODS)



HAIRY, NUTRIENT-PACKED SEED POD Popular in Soul Food & Black Cuisine Best in Gumbo, Fried, or Pickled!

₹QE FULL SUN & SANDY, WELL DRAINING SOIL

 ${\mathfrak T}$  watch for aphids (spray with water), thrips (use overhead irrigation), & spider mites (spray with water)

HARVEST WHEN SEED POD IS THE SIZE OF YOUR FINGER (SMALLER SEED PODS ARE MORE TENDER (50 DAYS)







MINI PUMPKIN

SMALL PUMPKIN VARIETY DELICIOUS WHEN COOKED SWEET OR SAVORY GREAT FOR DECORATION & CRAFTING!

₹©E FULL SUN & MOIST SOIL

WATCH FOR SQUASH BUGS (HAND PICK & DROP IN SOAPY WATER), SQUASH VINE BORERS (ROW COVERS WORK BEST BUT YOU CAN ALSO USE HOMEMADE SOAP & COFFEE GROUND SPRAY)

HARVEST WHEN THE RIND IS TOO HARD TO PUNCTURE WITH YOUR FINGERNAIL (95 DAYS)

